PILA BEAM / PL-SS

Pila Beam is a versatile seating system with strong design features, comprising of functional simplicity that will fit with confidence into any corporate or public waiting areas, healthcare or educational environments. Pila Beam is built with a four leg frame and can be customised in a range seating configurations with or without arms.



PRODUCT SUMMARY

Scope of Assesment:

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate).

See page 2 for more details.

Data Used:

Primary data was used wherever possible including for energy use during the core module.

All secondary data was obtained from the Ecolnvent database. used in conjunction with SimaPro 7.3.2, using European data only.

Functional Unit:

A seating solution designed and manufactured to last 10 years.

Regional Market:

The primary market for our Office Furniture products is Europe. The scope of this declaration reflects that.

MATERIAL DECLARATION

Material:	Amount (kg):	
Steel	10.07	74.22
Polypropylene	3.50	25.78

ENVIRONMENTAL SUMMARY

74.22	Global Warming Potential (Kg Co2 Eq):	41.55
25.78	Recycled Content (% By Weight):	37.00
	Total Energy Consumption (Mj):	918.10
	Recyclability (% By Weight):	99.00

Date of Production: July 2017

ENVIRONMENTAL PRODUCT ANALYSIS

This Environmental Product Analysis has been created in accordance with, and following the principles of ISO14025 and ISO14044. All the Life Cycle Analysis data has been compiled, processed and verified by Oakdene Hollins Ltd.

Hund

Compilation and processing of LCA data performed by Dr. Dan Skinner (Oakdene Hollins Ltd.)

yrm


Verification of LCA and environmental data performed by Dr. Adrian Chapman (Oakdene Hollins Ltd.)

SUSTAIN

The Senator Group has for many years acknowledged that the key word upon which to focus our attention is Sustainability rather than Recyclability in pure isolation.

Our business takes a truly holistic approach to the design, manufacture, supply and reclamation of our products. We see this as a cyclical process. From design to manufacture, use and reclamation we aspire to minimise all environmental impacts of Senator's products and processes. We harvest the resources back from the retired products then remanufacture or reintroduce the materials into our component manufacturers supply chain.

We believe in taking responsibility for our own actions ourselves, wherever possible, rather than relying on third parties, or abdicating our responsibilities by offsetting. The process of Sustainability is a cyclical one we understand this and we actively pursue this in everything that we do.



Torasen[™]

SYSTEM BOUNDARIES

SYSTEM BOUNDARIES

From the Air	0.78	0.55	0.00	1.33
From the Ground	37.66	7.83	0.63	46.12
From the Water	0.00	0.00	0.00	0.00

ENERGY CONSUMPTION

Resource (MJ)	Upstream	Core	Downstream	Total
Biomass	8.48	6.13	0.01	14.62
Hydro	21.45	1.81	0.08	23.34
Solar	0.03	0.00	0.00	0.03
Wind	1.83	0.59	0.00	2.42
Non-Renewable Energy (MJ)	773.16	97.11	7.42	877.69
Total	804.95	105.64	7.51	918.10

ENVIRONMENTAL IMPACT POTENTIAL

Resource	Upstream	Core	Downstream	Total
Global Warming (Kg CO2 Equivalents)	35.71	5.40	0.44	41.55
Acidification (Kg SO2 Equivalents)	0.14	0.02	0.00	0.16
Eutrophication (Kg PO43 Equivalents)	0.01	0.00	0.00	0.01
Ozone Depletion (Kg CFC 11 Equivalents)	0.00	0.00	0.00	0.00
Photochemical Smog (Kg C2H4 Equivalents)	0.02	0.00	0.00	0.02

TOXIC EMISSIONS

Resource (Kg)	Upstream	Core	Downstream	Total
From the Air	36.58	122.45	42.64	201.67
From the Ground	0.03	0.01	0.00	0.05
From the Water	4.04	2.31	0.63	6.98

RECYCLED CONTENT

Material	Recycled Content of Material (% by weight)	
Material	Amount	Percent of Total
Steel	50.00	37.00
Total		37.00

Torasen

CERTIFICATES

bsi 150 14001 bsi 150 9001

CERTIFICATES

Description	Certified	First Certified	CERTIFIED EMS 695374	Management Systems CERTFIED PM 695450
Quality Assurance	ISO 9001	Certified 1991	bsi 150 45001	
Environmental Management	ISO 14001	Certified 2001	(Cocupational Health and Sofety Management CERTIFIED	
Chain of Custody	FSC [®]	Certified 2003	OHS 695290	
Sustainability	FISP	Certified 2006	fign	The mark of responsible forestry
Occupational Health & Safety Management	ISO 45001	Certified 2021	First User	

All UK manufacturing Sites are accredited to ISO standards, 9001, 14001 and 45001.

In addition to this Global Headquarters is certified to Chain of Custody. We can provide FSC® certified products upon request

FURNITURE INDUSTRY SUSTAINABILITY PROGRAMME (FISP)

Awarded by FIRA, this sustainability certificate is designed to monitor all sustainability aspects of a company's facilities and operations. The Senator Group achieved one of the first sustainability certifications within the furniture industry – a public declaration of our commitment to improving our performance in every possible way.

CHAIN OF CUSTODY

Independent certification to prove Senator only purchases MFC/MDF/Chipboard from manufacturers who can prove they purchase their raw wood from sustainable sources.

ENVIRONMENTAL MANAGEMENT

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate). See page 2 for more details.

THE THREE R'S

Senator is committed to continually improving the sustainability of all environmental aspects within our business.

To meet both international standards and our own environmental targets we apply the three R's principe-

REDUCE, REUSE AND RECYCLE.

Whilst recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste. It is our duty as individuals and as a company to initially attempt to Reduce usage. Then we should look to Reuse wherever possible and finally, only after these two processes have been exhausted, should we consider Recycling.

-REDUCE -REUSE -RECYCLE

ASSESSMENT CONSIDERATIONS

The following necessary assumptions and considerations were made during the course of the Life-Cycle Analysis:

- Manufacture of the furniture components was asumed to take place in the same factory in which the raw materials were processed, due to a lack of case-specific data.
- The transport of all materials, components and finished products was assumed to be via 16-32t Euro 5 lorries.
- All LCA data was modelled using the IMPACT 2002+ (v2.06) method.

Global Headquarters Altham Business Park, Accrington, Lancashire. BB5 5YE

T +44 [0]1254 306000